




## Kiwi® Travel Trailers

Do you need the size and comfort of a travel trailer but don't want to give up the convenience and maneuverability of a camping trailer? You don't have to.

With 35 years of building family fun, Jayco® makes Kiwi® travel trailer to fit your need for comfort and easy towing. From the well-equipped kitchen and well-appointed living room to the well-built exterior, you'll find plenty of features packed into an RV small enough to take wherever you need to go.

In the kitchen, beautiful Fairfield Oak cabinets have the strength to last. We build them like the ones in your home at a full 35" high, and build cabinet doors using traditional, strong mortise-and-tenon joints. And we use real-wood drawers, not plastic tubs.





Don't worry about deciding how many clothes you can bring with you. Get plenty of space in the large wardrobe closets.
















Kiwi gives you travel trailer comforts with camping trailer towability and looks great with optional features such as color-coordinated "ground effects" skirting (not shown here) and white-frame, radius-cornered baggage doors and windows.

## Kiwi Too® Travel Trailers

# More travel trailer space, less travel trailer weight

The larger Kiwi Too® travel trailer offers you more interior space, including 78" high ceilings for plenty of headroom. But it weighs up to 15% less than similar-length trailers, so it's simple to tow. With Kiwi Too, you get camping convenience that's easy to handle.

Most Kiwi Too travel trailers feature a J-Steel™ sofa slideout that expands your living space. The manual slideout system is easy to operate. Add the new, optional electric J-Crank™ power slideout for even easier operation.







The new IOTA power center combines 12V and 110V in one convenient compartment.



The optional integrated ABS front cap improves aerodynamics and protects

and hides your LP gas bottles.



Choose a molded rear bumper (one-piece rear bumper on 8' wide models) to make your Kiwi Too travel trailer even more attractive.




Optional radius molded fender skirting lends a sleek look and resists stone damage.

## Kiwi Too® Travel Trailers

You won't have to settle for cold sandwiches anymore.

The kitchen comes equipped with a 5- or 6-cu.-ft.
flush-mount Norcold® double-door refrigerator, 3-burner
range top, range hood with fan and high-rise white faucet.






You'll rest comfortably in the bedroom with features such as a roof vent for better ventilation, optional carpeting for a plush feel and optional innerspring mattress for a good night's sleep. The bed lifts easily on struts for storage beneath.




BUILDING FAMILY FUN FOR 35 YEARS













Different family sizes can find just the right amount of room with features such as the optional triple bunks (30 T) with KidStuf™ bunk organizers option, which give kids a place for their toys, books and other items.

## Kiwi® & Kiwi Too® Travel Trailers

## Loaded with more than just the basics

Both Kiwi® and Kiwi Too® travel trailers give you all the extras that turn a camping trip into an extraordinary one you'll always remember.

Bake your favorite meals in the optional oven.

Simply plug in the optional outside stove for an outdoor dinner.

Our optional portable gas barbecue grill lets you get that great grilled flavor. And it comes with a handy carrying case. Get consistent-tasting drinking water with the optional water filtration system, which is built-in so you won't have to mount one outside.


















The optional microwave oven with carousel lets you heat up leftover burgers or make late-night popcorn. In Kiwi Too travel trailer, choose an oven and microwave for the ultimate in cooking flexibility.



The optional outside shower includes hot and cold faucets, rugged ABS plastic hose and shower head.




Another item to bring a touch of home includes the beautiful residential handles and knobs on kitchen cabinets and drawers.

### Kiwi® & Kiwi Too® Travel Trailers

Keep tabs on your kids or other family members with the optional Audiovox® family two-way radio system, including four hand-held radios and holder/charger.



An optional front storage compartment pull-out tray brings your things out within easy reach.




















Keep track of the status of all systems with the monitor panel.

The Norco® frame has an E-Coat™ surface to inhibit rust and is made without welds, allowing a thicker, more rigid steel than in conventional tubular-steel trailer frames but weighing 20% less. Special pinched "huck" bolts hold frame pieces together and don't loosen over time. And the unique tapered design puts the strongest part of the frame over the axles.

Our new E-Z Lube® axles with removable caps make maintenance simple. The one-piece PolyFlex™ underbelly coating protects against stones and dirt, improves aerodynamics and makes towing easier (enclosed underbelly on Kiwi Too).

Hear your favorite music while enjoying the sun and fresh air with the optional outside entertainment center. It features a spare 110V duplex power outlet for whatever additional items you choose and a heavy, waterproof locking cover.

TuffShell™ construction uses vacuumbond laminating to ensure floor, walls and roof stay flat and straight and won't warp for the life of the trailer. The Filon® Plus high-gloss fiberglass sidewalls form a strong, one-piece exterior that weighs less than regular fiberglass.

# 2003 KIWI® AND KIWI TOO® TRAVEL TRAILER STANDARDS AND OPTIONS

STANDARD INTERIOR FEATURES	Kıwı®	Kiwi Too
Oak doors and drawers, mortise-and-tenon construction	-	
Cabinets crafted with stile construction	100	
No-wax vinyl flooring		
3-burner range top	100	100
Prewired for microwave oven installation	3500 M	
3-cuft. flush-mount refrigerator (17 A, 18 F)	100	
5-cuft. flush-mount refrigerator (21 C, 23 B, 23 D, 25 E) (22 U,	22 V)	
6-cuft. flush-mount refrigerator		
Range hood w/light and fan		- Total
Shower curtain		
Large drawer in U-dinette		
Large kitchen window	100	
Slanted overhead cabinet (where possible)		-
Bunk lights with fan (2)	-	
Bathroom mirror	-	100
Bathroom roof vent (17 A)		
12V bathroom roof vent (except 17 A)	- B	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Fire extinguisher		
LP detector	7411-1	41.
Smoke detector	-	
Double white acrylic kitchen sink (single 17 A)		- B
High-rise white kitchen faucet		
Wallpaper border - kitchen		
Roof vent in bedroom		
Prop for bed lid		
35" residential-height base cabinets		
* Mini blinds		
Sink cover - 1 (except 17 A)	III.	
78" ceiling height		
* Stereo prep w/2 speakers	100	

STANDARD CONSTRUCTION FEATURES	Kıwı®	Kiwi Too
TuffShell* vacuum-bond laminated walls, roof and floor	-	
1" tubular-aluminum frame	-	
Bead-foam insulation throughout (R-7 roof/floor) (R-5 walls)	-	
Smooth, one-piece fiberglass exterior		
Unitized, 1-1/2" laminated floor construction	-	100
One-piece PolyFlex" underbelly coating	100	
New modular HSLA steel E-Coat** frame		
Enclosed underbelly		

\* New for 2003!


STANDARD EXTERIOR FEATURES	Kıwı®	Kiwi Too
Independent torsion-axle suspension system		
22" door with dead bolt lock (17 A, 18 F)	111	
26" door with dead bolt lock (except 17 A)	A 10 1 10 10 10 10 10 10 10 10 10 10 10 1	
White frame radius-cornered baggage doors	100	
Sewer hose storage compartment	90.00	MAN BER
Patio light w/inside switch and amber lens	100	100
110V exterior receptacle	EUROS WATER	
Heavy-duty retractable entrance step	100	
Safety chains and breakaway switch	Section 1	OTHER DES
14" C-range radial tires (25 E Kiwi® — 26' & up Kiwi Too®)		-
13" C-range radial tires (Kiwi® & under 25' Kiwi Too®)	ALICON MAN	60 G B 60
10" electric brakes		
Stabilizer jacks (4)	THE RESERVE	
BoltaFlex CT™ tent		
2" hitch coupler (17 A, 18 F)	THE RESERVE	
2-5/16" hitch coupler (except 17 A)		- 10
Lockable end bunks	STATE OF THE STATE OF	
TPO roof		
Radius-framed white windows	agenesia su	SCHOOL SECTION
Flush-mount front window & awning		
Front angled windows		1000 50
White spoked wheels	-	-
Dead bolt door lock	polessi - Aus	COOK MADE
Locking battery compartment w/rotocast box		-
Pass-through storage	COURSE NO.	1200
Baggage doors with grab handles		
HDPE wheel wells	CONTRACT DESCRIPTION	Section 1
* E-Z Lube® axles		
* Spare fire w/carrier	GELLINGER CO.	SECRETAL SEC.


STANDARD HEAT, POWER & WATER	Kıwı®	Kıwı Too®
Double 20-lb. LP bottles with auto regulator		
(all Kiwi® & 25' and under Kiwi Too®)		100
Double 30-lb. LP bottles with auto regulator (26' models & up)		
30-amp. high-efficiency electronic converter		
(all Kiwi® & 25' and under Kiwi Too®)		20 m
45-amp. high-efficiency electronic converter (26' models & up)		
30-amp. power cord		SU DE
16,000-BTU auto-ignition furnace w/thermostat (17 A, 18 F)		
20,000-BTU auto-ignition furnace w/thermostat (21 C, 23 B, 23 D, 25 E)		
31,000-BTU auto-ignition furnace (30 T)		-
25,000-BTU auto-ignition furnace (22 U, 22 V, 26 S, 28 R)		
Ducted heat (except 17 A)		
Floor-ducted heat		
Pre-wired for air conditioning		
Shurflo® demand water pump		
Copper gas lines		-
Monitor panel		
120V power center		-
120V G.F.C.I. protected circuit		
TV antenna and cable		
Water heater bypass kit		
6-gallon gas water heater		

OPTIONAL FEATURES	Kıwı®	Kiwi Too®
Folding chairs (23 B)	STATE OF STREET	
Tinted safety glass windows		
Bath skylight (18 F, 21 C, 23 D, 25 E) (28 R)	NEW YORK BEING	CO.   10
20-lb. double vinyl gas bottle cover (Kiwi® & 25' under Kiwi To	00®)	-
30-lb. double vinyl gas bottle cover (26' models & up)	Market Saliny	000 - 100
13,500-BTU A/C (all Kiwi® & 22 U, 22 V Kiwi Too®)		-
* 13,500-BTU Central A/C (26 S, 28 R, 30 T)	OCCUPATION OF	
* 15,000-BTU Central A/C (26 S, 28 R, 30 T)		
Microwave oven w/ carousel	ALL STATE OF THE	
Oven		
Outside stove	Marian Maria	150
Portable gas barbecue grill w/carrying case		
Awning	TO SHEET WAS A	CO. 101
Stereo AM/FM cassette w/2 speakers		
Stereo AM/FM CD w/2 speakers	Crestine ()	755
Spare fire w/carrier	-	
Hydraulic brakes (17 A, 18 F)	800 March 1980	
Bunk beds (21 C)		
Third bunk (30 T)		
Outside shower		
Exterior entertainment center	AND DESCRIPTION OF THE PARTY.	
DSI water heater		
Center tension rafter		100
Woven wood shades		
Exterior storage drawer (22 U, 26 S, 30 T)		
ABS tub surround (28 R)		
Stabilizer jacks - 4		223 00
Bedroom carpet		
KidStuf* bunk organizer (2 or 3) (30 T)		100
KidStuf™ bunk organizer (1)	100	
Inner spring mattress with bed struts		E 10
Bedroom TV shelf		
Bi-fold door		
Chrome wheels		
5-cuft. flush-mount refrigerator (18 F)		
6-cuft. flush-mount refrigerator (23 B, 23 D, 25 E) (22 U, 22	2 V)	
* Family 2-way radio system		
* Water purifier system	-	
* J-Crank** electric power slideout	REAL PROPERTY IN	BUILD BUILD
* Exterior radius skirts	100	
Deluxe trim package:		
ABS front cap    Radius skirt    Molded bumper		
a Maldad fander alite a Caland alitetan O anna		

· Molded fender skirt · Colored skirting & caps


# 2003 KIWI® TRAVEL TRAILER FLOORPLANS














23 B










# 2003 KIWI TOO" TRAVEL TRAILER FLOORPLANS














# 2003 KIWI® TRAVEL TRAILER SPECIFICATIONS

Kiwi®	Exterior Travel Length	Exterior Campsite Length	Exterior Width	Exterior Height w/opt AC	Interior Headroom	Unloaded Vehicle Weight (lbs.)	Axle Weight (lbs.)	Hitch Weight (lbs.)	Cargo Carrying Capacity (lbs.)	Gross Vehicle Weight Rating (lbs.)	Fresh Water Capacity (gals.)	Gray Water Capacity (gals.)	Toilet/Black Wastewater Capacity (gals.)
17 A	17'-2"	20'-8"	7'-1"	115"	78"	2365	2130	235	1085	3450	30	19	6
18 F	18'-2"	21'-5"	7'-6"	115"	78"	2760	2355	405	990	3750 -	30	23	23
21 C	21'-9"	25'-7"	7'-6"	115"	78"	3230	2810	420	1320	4550	30	30	25
23 B	23'-7"	27'-1"	7'-6"	115"	78"	3630	3290	340	1320	4950	30	30	25
23 D	23'-7"	27'-1"	7'-6"	115"	78"	3670	3225	445	1280	4950	30	30	25
25 E	25'-10"	29'-3"	7'-6"	115"	78"	4000	3485	515	1500	5500	30	30	25

Fresh Water Capacity Includes 6 gal. For Water Heater

# 2003 KIWI Too® TRAVEL TRAILER SPECIFICATIONS

Kiwi Too®	Exterior Travel Length	Exterior Width	Exterior Height w/opt AC	Interior Headroom	Unloaded Vehicle Weight (lbs.)	Axle Weight (lbs.)	Hitch Weight (lbs.)	Cargo Carrying Capacity (lbs.)	Gross Vehicle Weight Rating (lbs.)	Fresh Water Capacity (gals.)	Gray Water Capacity (gals.)	Toilet/Black Wastewater Capacity (gals.)
22 U	23'-6"	7'-6"	116"	78"	3490	3145	345	1460	4950	36	30	22
22 V	22'-6"	7'-6"	116"	78"	3590	3220	370	1360	4950	36	30	22
26 5	27'-6"	8'	116"	78"	4340	3815	525	1460	5800	36	30	22
28 R	28'-11"	8'	116"	78"	4285	3795	490	1815	6100	36	30	22
30 T	31'-6"	8'	116"	78"	4725	4115	610	1775	6500	36	30	22

Fresh Water Capacity Includes 6 gal. For Water Heater

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, LP gas, options or depler-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus passengers, personal items, all cargo, fluids, options and dealer-installed accessories. The GWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of all passengers, personal items, food, fresh water, LP gas, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to

RVing or a veteran, get a feel for the performance of your tow vehicle and the RV together before heading out on the roadways. When you tow an RV, you must drive differently than you do when driving a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction.

See specification chart above. Jayco® affixes a weight label to each new RV which lists weight information for that vehicle.


# 2003 KIWI® & KIWI TOO® TRAVEL TRAILER INTERIOR COLOR SELECTIONS



Blue Vista



Cinnamon Stick Tan



# 2003 Kiwi® & Kiwi Too® Travel Trailers

### WE BACK WHAT WE BUILD

The Jayco 2+3 Warranty is a manufacturer's warranty. It doesn't come from your dealer, and it's not an extended warranty! It comes from the people who build Jayco recreational vehicles to the people who buy them. Each Jayco is warranteed to the original purchaser for twenty-four (24) months from the date of purchase against defects in materials and workmanship. This is full hitch-to-bumper coverage on towables and bumper-to-bumper on motorized RVs. The Jayco warranty includes a three-year (3) structural guarantee. In addition, our warranty is transferable within the first two (2) years for a \$100 processing fee. Go ahead and compare the Jayco warranty with other manufacturers' warranties. You'll find it's the best in the business! For a copy of the warranty with full terms and conditions, ask your local Jayco dealer or visit our Web site.

## Five year coverage

We also offer five-year (5) coverage on our tent with parts, labor and freight covered the first two years; parts, factory labor and return freight during years three, four and five.

Jayco® delivers responsive, reliable after-market customer service





When you purchase a Jayco Recreational Vehicle, you'll also get a support staff dedicated to meeting the needs of you and your dealer. To deliver on this promise, we built a 91,000-square-foot, state-of-the-art facility that seamlessly integrates our Warranty, Customer Service and Service Parts divisions (After Market Services — AMS). Staff from each division can now work more closely together to better provide prompt, accurate service.

For example, the AMS staff can quickly access information on the computer and service representatives can better serve the needs of Jayco dealers and retail customers. Our

service area contains 15 bays that feed into a spacious work area for customers who need assistance during their travels through Indiana.

The Parts and Warranty divisions take advantage of our Jayco Xpress online computer network that links Jayco Customer Service to dealers across the country and allows them to place parts orders, check the status of an order and check pricing and availability. Dealers

participating in the online system can also register new Jayco owners 24 hours a day, seven days a week. That way, when you pull off the dealer's lot, your new unit is already registered with the factory.

Our parts warehouse, equipped with automated carousels and stocked with a large inventory of parts, can provide our dealers with the parts you need so you can get back on the road to enjoying your vacation.

You won't find a more caring after-market service group in the recreational vehicle industry. That's our goal and commitment to you.

In the heart of the Midwest, old-world craftsmen have handed down tried-and-true construction methods from generation to generation. At our headquarters in Middlebury, Indiana, Jayco continues this tradition when building all of our recreational vehicles. Our rugged designs, solid construction and commitment to quality add up to a well-built vehicle you can depend on for years.



See above dealer for further information and prices.



Jayco, Inc. P.O. Box 460 Middlebury, IN 46540 www.jayco.com



our Web site.

As a Jayco owner, you can be part of the Jayco Jafari International Travel Club. Ask your dealer about the Jafari "flight" in your area, write Jayco direct or visit

Please Note: All information in this brochure is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation.

Pictures in this brochure may show optional equipment. RVs built for sale in Canada may differ to conform to Canadian codes.

Printed on recycled paper.



©2002 Jayco, Inc. 0902-125M Litho in U.S.A.